AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of the claims in the above-captioned patent application.

Listing of Claims:

- 1. (Currently Amended) An organic EL display panel which emits light from a substrate including a cover which has a transparency and is provided for enclosing organic EL device(s) formed on [[a]] the substrate having a transparency, characterized in that at least non-luminescent areas of the cover of the organic EL display panel are provided with transmission vision preventing means.
- 2. (Original) The organic EL display panel according to claim 1, wherein the transmission vision preventing means is formed by coloring at least relevant portions of the cover corresponding to said non-luminescent areas.
- 3. (Original) The organic EL display panel according to claim 1, wherein the transmission vision preventing means is formed by providing colored layer on the cover's one surface located away from the substrate.
- 4. (Original) The organic EL display panel according to claim 1, wherein the transmission vision preventing means is formed by attaching colored sheet to the

backside of the cover, located at least in relevant portions corresponding to said nonluminescent areas.

- 5. (Original) The organic EL display panel according to claim 1, wherein the transmission vision preventing means is a frame structure, at least relevant portions of which are colored, said relevant portions being close to the cover and corresponding to said luminescent areas.
- 6. (Currently Amended) The organic EL display panel according to claim 1, wherein the transmission vision preventing means is formed by coloring at least relevant portions of the substrate corresponding to said non-luminescent areas an adhesive agent.

7. (Canceled).

8. (Currently Amended) A method of manufacturing an organic EL display panel which emits light from a substrate, including a cover which has a transparency and is provided for enclosing organic EL device(s) formed on [[a]] the substrate having a transparency, characterized in that the method involves a step of forming transmission vision preventing means in at least non-luminescent areas of the cover of the organic EL display panel.

9. (Original) The method according to claim 8, wherein the transmission vision preventing means is formed by coloring at least relevant portions of the cover

corresponding to said non-luminescent areas.

10. (Original) The method according to claim 8, wherein the transmission vision

preventing means is formed by providing colored layer on the cover's one surface

located away from the substrate.

11. (Original) The method according to claim 8, wherein the transmission vision

preventing means is formed by attaching colored sheet to the backside of the cover,

located at least in relevant portions corresponding to said non-luminescent areas.

12. (Original) The method according to claim 8, wherein the transmission vision

preventing means is a frame structure, at least relevant portions of which are colored,

said relevant portions being close to the cover and corresponding to said non-

luminescent areas.

13. (Currently Amended) The method according to claim 8, wherein the

transmission vision preventing means is formed by coloring at least relevant portions of

the substrate corresponding to said non-luminescent areas an adhesive agent.

14. (Currently Amended) The method according to any one of claims 8 to claim 13, wherein the transmission vision preventing means is formed by coloring an adhesive agent.

15. (New) An organic EL display panel which emits light from a cover, including the cover which has a transparency and is provided for enclosing organic EL device(s) formed on a substrate having a transparency, characterized in that at least non-luminescent areas of the substrate of the organic EL display panel are provided with transmission vision preventing means.

16. (New) The organic EL display panel according to claim 15, wherein the transmission vision preventing means is formed by coloring an adhesive agent.

17. (New) A method of manufacturing an organic EL display panel which emits light from a cover, including the cover which has a transparency and is provided for enclosing organic EL device(s) formed on a substrate having a transparency, characterized in that the method involves a step of forming transmission vision preventing means in at least non-luminescent areas of the substrate of the organic EL display panel.